



emea

iCall
Pull Cords



Copyright

This document may not be copied in whole or in part or otherwise reproduced without prior written consent from IndigoCare Europe, except where specifically permitted under international copyright law.

Disclaimer

The information in this document is subject to change without notice. IndigoCare Europe assumes no responsibility for inaccuracies or omissions and specifically disclaims any liabilities, losses, or risks, personal or otherwise, incurred as a consequence, directly or indirectly, of the use or application of any of the contents of this document. For the latest documentation, contact IndigoCare Europe.

This publication may contain examples of screen captures and reports or database used in daily operations. Examples may include fictitious names of individuals and companies. Any similarity to names and addresses of actual businesses or persons is entirely coincidental.

All examples of patient information in this document are fictitious. Any resemblance to a real patient or facility is purely coincidental. The owners and users of this product are solely responsible for complying with all applicable patient information laws. The users, by their use of this product, agree to indemnify the manufacturer and/or seller of this product against all claims, litigation, and suits filed for patient information violations.

Intended use

Use this product only for the purpose it was designed for; refer to the data sheet and user documentation for details. For the latest product information, contact IndigoCare Europe. This iCall Pull Cords guide is a working and supporting tool for certified engineers for installing and maintaining iCall installations.

Contact information

IndigoCare Europe BV

Schoebroekstraat 48
3583 Paal
Belgium
T +32 11 247090

emea@indigocare.com

www.indigocare.com

Revision history

Date	Revision	Description
2020-10-01	1.0	First version

Index

1. Introduction.....	5
2. Pull Cord Types	5
2.1. Red pull cord 2m.....	5
2.2. Green pull cord 2m.....	5
2.3. MIVA set pull cord	6
3. Parts	7
3.1. Red cone	7
3.2. Green cone	7
3.3. Break-away	8
3.4. Red Cord	9
3.5. Green cord.....	9
3.6. Red MIVA cord.....	10
3.7. White cord	10

1. Introduction

This document describes the different pull cords and their technical specification.

2. Pull Cord Types

2.1. Red pull cord 2m



PWBXGA1100

Red pull cord, including safety break-away. Length of 2m of woven nylon cord with red plastic cone at the end. Safety break-away released at 7kg

2.2. Green pull cord 2m



PWBXGA1103

Green pull cord, including safety break-away. Length of 2m of woven nylon cord with green plastic cone at the end. Safety break-away released at 7kg.

2.3. MIVA set pull cord



Red pull cord, including safety break-away. Length of 4,5m of woven nylon cord. Including 4 wall mounting plugs and 1 end plug. Safety break-away released at 7kg.

PWBXGA0104

3. Parts

3.1. Red cone



PWBXNO0800

Red cone for pull cord, top diameter 10 mm and bottom diameter 30 mm. Suitable for nylon cord of 3 mm.

3.2. Green cone



PWBXNO0900


Green cone for pull cord, top diameter 10 mm and bottom diameter 30 mm. Suitable for nylon cord of 3 mm.

3.3. Break-away



White break-away part, released at 7Kg.
Suitable for nylon cord from 3mm on one side
and nylon cord from 2mm on the other side.

PWBXNO0700



Attempt	Set 1	Set 2	Average
1	8	8,54	8,27
2	7,44	7,34	7,39
3	7,36	7,8	7,58
4	7,18	8,08	7,63
5	6,62	6,32	6,47
6	6,74	5,7	6,22
7	7,72	6,9	7,31
8	6,72	5,48	6,1
9	7,54	6,12	6,83
10	7,44	6,2	6,82
72,76		68,48	70,62
			7,1

3.4. Red Cord



Red woven nylon cord, length 2m and 3mm diameter.

PWBXVE0100

3.5. Green cord



Green woven nylon cord, length 2m and 3mm diameter.

PWBXVE0200

3.6. Red MIVA cord



Red woven nylon cord, length 4,5m and 3mm diameter.

PWBXVE0700

3.7. White cord



White woven nylon cord, length 12cm and 2mm diameter.

PWBXVE0300



Contact us for more info

IndigoCare Europe BV

Schoebroekstraat 48
3583 Paal
Belgium
T +32 11 247090

emea@indigocare.com

www.indigocare.com

